

Exchange Carts - ETS Series



Specifications

Exchange Cart - ETS

ITEM # _____

PROJECT _____



ETS-2448C

The ETS Cart consists of 3 wire shelves and 1 stainless steel shelf, 4 posts, 5" swivel casters, 2 with total-lock brake and 6 label holders.

- Grooved posts are numbered at 1" increments
- Overall height is 69"
- Load capacity: 1,000 lbs.
- Open wire construction – promotes air circulation, reduces dust and contaminates
- Zinc or Chrome finish

Exchange Carts - ETS Series

W x L (in.)	W x L (mm)	Height		# of Shelves	Tote Boxes	Slide Kits	Label Holders	Shelf Dividers	Enclosure Panels	Lacquered Zinc Model #	Chrome Model #
		(in.)	(mm)								
21" x 48"	533 x 1219	69	1753	3 Wire/1 stainless	-	-	6	-	-	ETS-2148LZ	ETS-2148C
21" x 60"	533 x 1524	69	1753	3 Wire/1 stainless	-	-	6	-	-	ETS-2160LZ	ETS-2160C
24" x 48"	610 x 1219	69	1753	3 Wire/1 stainless	-	-	6	-	-	ETS-2448LZ	ETS-2448C
24" x 60"	610 x 1524	69	1753	3 Wire/1 stainless	-	-	6	-	-	ETS-2460LZ	ETS-2460C



IRSG
12230 Woodinville Drive, Suite A,
Woodinville, WA 98072
Phone: (425) 398-1875 • Fax: (425) 398-1675

IRSG For product information, call 1-888-398-2009

For custom design, configuration or
fabrication, please call (888) 398-2009 or
e-mail us at info@irsg.com

For more information
please visit www.irsg.com

Exchange Carts - ETS Series




Specifications

Exchange Cart - ETS2

ITEM # _____

PROJECT _____



ETS2-2448C

The ETS2 Cart consists of 3 chrome wire shelves and 1 stainless steel shelf, 4 chrome posts, 5" swivel casters, 2 with total-lock brakes, 3 shelf dividers, 2 bins, 2 side enclosure panels, 3 back enclosure panels and 6 label holders.

- Grooved posts are numbered at 1" increments
- Overall height is 69"
- Load capacity: 1,000 lbs.
- Open wire construction promotes air circulation, reduces dust and contaminates
- Zinc or Chrome finish

Exchange Carts - ETS Series

W x L (in.)	W x L (mm)	Height (in.) (mm)		# of Shelves	Tote Boxes	Slide Kits	Label Holders	Shelf Dividers	Enclosure Panels	Lacquered Zinc Model #	Chrome Model #
21" x 48"	533 x 1219	69	1753	3 Wire/1 stainless	2	1	6	3	5 sides	ETS2-2148LZ	ETS2-2148C
21" x 60"	533 x 1524	69	1753	3 Wire/1 stainless	2	1	6	3	5 sides	ETS2-2160LZ	ETS2-2160C
24" x 48"	610 x 1219	69	1753	3 Wire/1 stainless	2	1	6	3	5 sides	ETS2-2448LZ	ETS2-2448C
24" x 60"	610 x 1524	69	1753	3 Wire/1 stainless	2	1	6	3	5 sides	ETS2-2460LZ	ETS2-2460C



IRSG
12230 Woodinville Drive, Suite A,
Woodinville, WA 98072
Phone: (425) 398-1875 • Fax: (425) 398-1675

IRSG For product information, call 1-888-398-2009

For custom design, configuration or
fabrication, please call (888) 398-2009 or
e-mail us at info@irsg.com
For more information
please visit www.irsg.com

Exchange Carts - ETS Series




Specifications

Exchange Cart - ETS3

ITEM # _____

PROJECT _____



ETS3-2448C

The ETS3 Cart consists of 3 wire shelves and 1 stainless steel shelf, 4 posts, dolly with 6" casters, 2 with total-lock brakes, and wrap-around bumper, 3 shelf dividers, 2 bins, 2 side enclosure panels, 3 back enclosure panels and 6 label holders.

- Grooved posts are numbered at 1" increments
- Overall height is 71.5"
- Load capacity: 1,200 lbs.
- Open wire construction – promotes air circulation, reduces dust and contaminants
- Zinc or Chrome finish

Exchange Carts - ETS Series

W x L (in.)	W x L (mm)	Height (in.)	Height (mm)	# of Shelves	Tote Boxes	Slide Kits	Label Holders	Shelf Dividers	Enclosure Panels	Lacquered Zinc Model #	Chrome Model #
21" x 48"	533 x 1219	71.5	1816	3 Wire/ 1 Stainless	2	1	6	3	5 sides	ETS3-2148LZ	ETS3-2148C
21" x 60"	533 x 1524	71.5	1816	3 Wire/ 1 Stainless	2	1	6	3	5 sides	ETS3-2160LZ	ETS3-2160C
24" x 48"	610 x 1219	71.5	1816	3 Wire/ 1 Stainless	2	1	6	3	5 sides	ETS3-2448LZ	ETS3-2448C
24" x 60"	610 x 1524	71.5	1816	3 Wire/ 1 Stainless	2	1	6	3	5 sides	ETS3-2460LZ	ETS3-2460C



IRSG
12230 Woodinville Drive, Suite A,
Woodinville, WA 98072
Phone: (425) 398-1875 • Fax: (425) 398-1675

IRSG

For product information, call 1-888-398-2009

For custom design, configuration or
fabrication, please call (888) 398-2009 or
e-mail us at info@irsg.com

For more information
please visit www.irsg.com

Exchange Carts - ETS Series




Exchange Carts - ETS Series

Specifications

Exchange Cart - ETS4

ITEM # _____

PROJECT _____



ETV4-2448C

The ETV4 Cart consists of 5 wire shelves, 4 posts, dolly with 6" casters, 2 with total-lock brakes and wrap-around bumper, 6 shelf dividers, 4 bins, 2 side enclosure panels, 3 back enclosure panels and 9 label holders.

- Grooved posts are numbered at 1" increments
- Overall height is 71.5"
- Load capacity: 1,200 lbs.
- Open wire construction promotes air circulation, reduces dust and contaminates
- Zinc or Chrome finish

W x L (in.)	W x L (mm)	Height (in.)	Height (mm)	# of Shelves	Tote Boxes	Slide Kits	Label Holders	Shelf Dividers	Enclosure Panels	Lacquered Zinc Model #	Chrome Model #
21" x 48"	533 x 1219	71.5	1816	3 Wire/ 1 Stainless	4	2	8	6	5 sides	ETS4-2148LZ	ETS4-2148C
21" x 60"	533 x 1524	71.5	1816	3 Wire/ 1 Stainless	4	2	8	6	5 sides	ETS4-2160LZ	ETS4-2160C
24" x 48"	610 x 1219	71.5	1816	3 Wire/ 1 Stainless	4	2	8	6	5 sides	ETS4-2448LZ	ETS4-2448C
24" x 60"	610 x 1524	71.5	1816	3 Wire/ 1 Stainless	4	2	8	6	5 sides	ETS4-2460LZ	ETS4-2460C



IRSG
12230 Woodinville Drive, Suite A,
Woodinville, WA 98072
Phone: (425) 398-1875 • Fax: (425) 398-1675

IRSG For product information, call 1-888-398-2009

For custom design, configuration or fabrication, please call (888) 398-2009 or e-mail us at info@irsg.com
For more information please visit www.irsg.com

Every attempt has been made to ensure the accuracy of the product information. We cannot be held responsible for printing or typographical errors. Please confirm product information a time of order; information is subject to change without notice